

Haitian Creole

Developing MT for a Low Data Language

William Lewis
Microsoft Research

Credits


- Carnegie Mellon University
- Butler Hill Group
- Mission 4636/Crowdflower
- Ushahidi
- Moravia Worldwide
- Welocalize
- Rosetta Foundation
- Eriksen Translations, Inc.
- The Bing Team
- **All members of the Microsoft Translator team who put in many sleepless nights on this project.**

Haitian Creole

- One of two official languages in Haiti
- A creole that evolved from French, Spanish, and several African languages (large % French-like)
- Spoken natively by most of Haiti's 8M people
- Recent as a written language (first literature dates to late 18th century), growing literature base
- Semi-literate population, with preference to French (until recently)
- Somewhat inconsistent orthography
- Limited (but growing) Web presence

Tranbleman tè nan Pòtoprens, kapital

A



Pòtoprens te catastrophically afekte 12 janvye 2010
tranbleman tè a.

- The earthquake of January 12th, 2010 a significant humanitarian crisis.
- Aid agencies, foreign governments, a variety of NGOs, all responded en masse



- Need for translated materials critical, especially those related to medicine and the relief effort.
- Mission 4636 text messages from the field (up to 5K/hour at peak) require rapid translation

Moun ap fouye pami debri
yon biling ki kraze nan
tranblemann' tè 12 Janvye a.


The E-mail

- At 10:30 a.m. on Tuesday, January 19th our team received an e-mail from a Microsoft employee in the field:
 - Do we have a translator for Haitian Creole?
 - If not, could we make one?
- A little soul searching:
 - No one on our team knew anything about Creole
 - No native speakers
 - No linguistic background on the language
 - No idea about grammatical structure
 - No idea about encoding or orthography
 - No knowledge about registers or the degree of literacy
 - No parallel or monolingual training data of any kind (nor readily available documents we could start with)
- In effect, we were starting at **Zero**
- So what else could we do but say **“YES!”**


The Plan

- Identify as much parallel data as we can find; start with
 - Bible
 - Data from Carnegie Mellon University (CMU)
 - Haitisurf.com
 - Official government documents, including constitution
 - Data identified by CrisisCommons
 - Parallel sentences from Creole-English Wiki pages
- Rally team to help process the data (and everything else!)
- Find linguistic experts in Creole to advise and help
- Find native speakers to review output and translate content
- Engage the relief community involved in the Haiti effort

Training



Microsoft's Statistical MT Engine



Previous work on low-data MT

Low data MT not without precedent:

- DARPA sponsored Surprise Language Exercise (SLE)
 - One month to collect data, create resources (Oard 2003)
 - Initial test case Cebuano (Strassel et al 2003)
 - One month competition on Hindi (multiple teams)
- Oard and Och 2003 relate effort to rapidly develop MT over data collected in SLE
 - Noted that MT could be developed “in days”

• Haitian specific work:

• DIPLOMAT project (Frederking et al 1997)

• Speech-to-Speech translation system

Shelved, but data housed at CMU

Challenges presented by Creole

- Low Data
- Creole “young” as a written language, inconsistent orthography (Allen 1998)
- Two “registers” in written form:
 - High register: full forms for pronouns and function words
 - Low register: contracted forms, but inconsistent

Pronoun	Gloss	Appears as
mwen	I, me, mine	m, 'm, m'
nou	you (pl), us	n, 'n, n'
ou	you	w, w'
li	he, she, it	l, l', 'l

Challenges presented by Creole

- Low Register also has large number of reduced forms:

Abbreviated Form	Full Form
s'on	se yon
avèn	avèk nou
relem	rele mwen
wap	ou ap
map	mwen ap
zanmim	zanmi mwen
lavel	lave li
...	...

- Has three accented characters, è, ò, à
 - Accents inconsistently used, especially in SMS, e.g., mesi vs. mèsi, le vs. lè
 - Inconsistent compounding: tranblemantè', tranbleman tè, tranbleman de tè -- “earthquake”

Processing and Filtering Data

- Focused on reducing data sparseness
- Forced separation of data sets between English-Creole (EC) vs. Creole-English (CE)
- For CE:
 - Normalized out all accented forms
 - Likewise, normalized contracted and reduced forms to full forms
 - Did the same at run time
- For EC:
 - Significant normalization not possible w/o introducing noise
 - Some post-processing repairs possible (i.e., in our rule-based post-processing component)

The Timeline

- Tues., January 19th, 10:30 a.m.: Email received
- Tues. afternoon: decision made, team rallied: developers, testers, computational linguists engaged
- Tues. afternoon: initial design on dev lead's whiteboard
- Wed. morning: division of labor established, small team dedicated to data collection and processing
- Wed. afternoon: first data sources processed (e.g., CMU, Bible, etc.)
- Wed. afternoon: clear division in CE and EC data
- Wed. evening: started assembling first configs for training systems
- Thurs., 4:00 a.m.: first training started
- Thurs., 10:45 a.m.: bug found in CMU data, fixed and reported to CMU (misalignment, reversed languages)
- Thurs., 2:15 p.m.: first successful build, Creole-English, BLEU score of 22.94 on held-out CMU data!
- Fri. morning: first Creole linguists, translators engaged
- Fri. & Sat.: continued data procurement, training, consulting with linguists and native speakers

Chasing the Chickens

(rolling it out)

- Saturday, 4:49pm – language models done, check in & start data push
- 5:00pm – leaf machines not translating Creole
- 5:33pm – processing out of sync, restart everything. Translations again!
- 5:53pm – deploy 3rd build to test environment
- 6:12pm – find 100K more parallel sentences, should we take them? YES!
- 6:14pm – in a sign of eternal optimism, take one prod offline
- 6:52pm – test 3rd rollout done, start testing everything
- 7:21pm – something's wrong, it's *really* slow
- 8:11pm – pour through ~1GB of logs trying to figure out what's wrong
- 8:49pm – find golden sentence mismatch (sanity check)
- 9:09pm – fix golden sentences
- 10:40pm – 4th build done
- 10:42pm – deploy 4th build to test
- 11:38pm – deploy done. Start testing it

Chasing the Chickens (con't)

- Sunday, 12:05am – “The united states believe this ideal right of chickens do the birth...”
- 12:05am – problem parsing smart quotes
- 1:06am – hot fix smart quotes for chickens
- 1:20am – chickens are gone
- 1:36am – Ship it! Begin rollout to prod
- 2:09am – rollout done. Start testing and warm-up
- 2:48am – load tests look good
- 3:30am – rollout done
- 3:31am – load test and warm-up
- 4:00am – load tests look good
- 4:01am, January 24th (Sunday) – prod live. We’re done!

● **Start to finish (from e-mail to ship): 4 Days, 17 Hours, and 31 Minutes**

Where we are and Where we're going

- Current BLEU:
 - CE: 29.89, EC: 18.30
 - Eval data:
 - 550 segments held-out CMU data, plus
 - 36 SMS messages (more in soon to be updated version)
 - Training data currently >200K segments (initial system: ~80K)
- Continued improvements through additional data
- Tapping English-French vocab, and English-French / English-Creole ASR dictionaries for OOV reduction (CE only)
- Continued Engagement with Crowdflower/Mission 4636
 - Translating and repairing SMS content
 - Initial supply of 1,000 SMS messages given back to Mission 4636
 - Once anonymized, all data (~5,000 SMS messages) will be provided back to Mission 4636 and the greater community (through CMU, LDC, TAUS TDA and the Rosetta Foundation)

Mission 4636 Messages

Mwen rele FIRST LAST mwen
se yon bòs mason
kay mwen kraze mwen gen
kat pitit numero mwen
se 99999999

My name is FIRST LAST. I
work in construction,
and I have four children.
My number is 99999999.

Ki sa pou nou f? ak timoun
yo kos?nan lekol la e pui
kile moun duval nan croi
des bouket ap jwen manje
pou met nan vant yo


What can we do with the
children regarding school
and when will the people
of duval in croix des
bouquets get food to put
in their bellies?

Voye kÄk konsÄy pou

Send me some advice.

Tools Available for Haitian Creole

- Home page (Web page viewer, cut-and-paste translator)
- Haitian Creole one of the languages available through our API (Advanced Programming Interface)
 - Multiple interfaces: AJAX, SOAP, HTTP
 - Can integrate translation directly into a variety of apps
- Widget
 - Integrate translation into Web pages
 - Traffic kept client side



Tools Available for Haitian Creole

- Widget/Collaborative Translation Framework (CTF)
 - Community can contribute translations
 - These can be published to Web pages
 - Mixes MT with “trusted” human translations



W ap itilize Tbot-Bot mesaje patronne pa Microsoft tradikt

Tbot s'yon zanmi otomatik ki founi traductions pou mesaje Live fenêtre dating anpil lòt bots e li te denpi devni extrêmement popilè. Ou kap envite yon zanmi (gwooup konvèrsasyon) ki pale lòt lang ak Tbot tradikt

Sa s'yon ansanm nan anpil fwa a kesyon osijè de bot a. Si ou gen nenpòt kesyon teknik, souple depoze yo nan nou itilizatè forums.

[DU] Kijan pou install/ajoute Tbot nan mesaje ou ?

1. Louvri ou abite mesaje e chèche add yon kontak yo oubyen icône gwooup sa yo.

Demo of Widget/CTF

Real Time IM Translation

- T-Bot: Provides real-time translations of IM
 - Add as a participant
 - Translates between the languages selected
- SMS content in training probably helps with IM

The screenshot shows a messaging application window. On the left, there are two contacts listed: 'Carrie Lewis (Available)' and 'Tbot (Available)'. The main area displays a conversation:

Will says:
▪ Bonswa!

Tbot says:
▪ **Good afternoon!**

Carrie Lewis says:
▪ *Hello*

Tbot says:
▪ >> Carrie : Bonjou

Will says:
▪ Komon ou ye?

Tbot says:
▪ >> Will : How are you?

Carrie Lewis says:
▪ *okay*

Tbot says:
▪ >> Carrie : oke

Carrie Lewis says:
▪ *How can I help you?*

Tbot says:
▪ >> Carrie : kisa mwen kapab fè pou ou?

Will says:
▪ Mwen pa two byen

Tbot says:
▪ >> Will : I'm not too well

Will says:
▪ Te gen yon aksidan

Tbot says:
▪ >> Will : There was an accident

Will says:
▪ Nou bezwen yon dokte touswit

Tbot says:
▪ >> Will : We need a doctor right now

Overview

- Earthquake in Haiti created a significant humanitarian crisis
- NLP/MT technology can be useful in such crises
- MT can be developed for low-data languages
- Such MT can be rolled out quickly, even in a production environment, and even when starting with very little
- Critical problem for any Low-Resource Language: Data
 - In Haitian crisis, barriers to data access were lowered
 - Many participants donated data in addition to time
 - Preemptive work for other low-data languages may require data sharing agreements
- Large-scale data sharing *a la TAUS TDA* may help in low data language tool and resource development

Public API V2 Sample Code


```
TranslateOptions options = new TranslateOptions();
options.SentenceLengths = true;
options.Uri = "www.foo.com";
options.MaxTranslations = 4;
options.Category = "general";
options.ContentType = "text/plain";
options.User = "Rachel";

string[] texts = new string[2];
texts[0] = "this is my first one";
texts[1] = "this is my second one";
```

```
TranslateResponse response =
_soapClient.TranslateArray(_appId, texts, "en", "ht", options);
```

Translator Widget & AJAX API

Enables any website to provide instant, in-place translations



- Simple copy/paste of widget code snippet
- Gives webmasters control of their translation UX

Site info

* Site address
http://www.mysite.com/

* Site language
English

Options

Width: 208

Color: Yellow

Generate widget

I agree to the Microsoft Translator Terms of Use.

Generate code

```
<div id="MicrosoftTranslatorWidget"></div>
```

Seasonal Flu - Windows Internet Explorer

http://www.bphc.org/programs/infectio

Favorites Seasonal Flu

Microsoft® Translator English Japanese

BOSTON PUBLIC HEALTH COMMISSION

インフルエンザのホームページ

H1N1インフルエンザ（豚インフルエンザ）

季節インフルエンザ

pandemic インフルエンザ

インフルエンザの診療所

インフルエンザ認識、トレーニング & 教育資料

インフルエンザ Videos

ビジネス

Home プログラムとサービス局 > 伝染病 > 伝染病 A ~ Z > インフルエンザ > 季節インフルエンザ

季節インフルエンザ

（「流感」または「インフルエンザ」）の季節インフルエンザ、インフルエンザウイルスによって生じる伝染性の病気である。現象ができると軽度から重症にまで含める発熱、咳、筋肉痛、頭痛、および一般的な弱点。。で、アメリカ、インフルエンザシーズン通常遅れて開始落ちるし、3月末まで続く。各年、季節インフルエンザの拡散を防ぐために、最適な方法です。

- インフルエンザ免疫
- 手を石けんと温かい水やアルコールに基づいてクリーナをよく掃除