

TRANSLINGUAL EUROPE 2009 🕸 PRAGUE

## Will there be a winner?

Contribution to panel by

Hans Uszkoreit

German Research Center for Artificial Intelligence (DFKI)



German Research Center for Artificial Intelligence

## TRANSLINGUAL EUROPE 2009 🕸 PRAGUE



 $\Rightarrow$  Can everything needed for MT be learned from data?

The Core Issues

- problem 1 -- learning complex and nonlocal regularities
- problem 2 -- shortage of data both in quantity and quality
- $\Rightarrow$  Can those things that are not learnable, be obtained from RBMT?
  - problem 1 -- Are the limitations of RBMT compensated by SMT?
  - problem 2 -- Can RBMT systems built for all language pairs?





statistical NLP

Linguistic phenomena ordered by their (learning) complexity









- Can everything needed for MT be learned from data?
  problem 1 -- learning complex and nonlocal regularities
  problem 2 -- shortage of data both in quantity and quality
  not anytime soon
- $\Leftrightarrow$  Can the things that are not learnable, be obtained from RBMT? not all but many
  - -problem 1 Are the limitations of RBMT compensated by SMT? not all but many
  - -problem 2 Can RBMT systems built for all language pairs? the price is o.k.



## Predictions



TRANSLINGUAL EUROPE 2009 🕁 PRAGUE

- $\Rightarrow$  My prediction for the distant future I will not share
- ☆ For the near and medium future, I predict a tight race between hybrid MT and SMT including more knowledge sources
- ☆ I believe that hybrid approaches to MT will be leading in applications requiring higher quality and in specialized systems
- ☆ Whereas enriched SMT systems will be leading in inbound informative translation and in language pairs without RBMT
- ☆ Other statistical paradigms combining multiple knowledge sources such as Context-Based MT will be successful for language pairs lacking sufficient volumes of parallel data
- ☆ Finally, I predict that in the future we will have much research on something we may call situated MT, systems that know or guess the exact context and behave quite different for different contexts.